



Focus on
Kitchen Equipment



MARCHEF

广州叁越食品机械有限公司
Guangzhou Sanyue Food Equipment Co.,ltd

+86-18816804012 / 0086-020-31360549
admin@marchefchina.com
www.marchefequip.com www.marchefchina.com
www.gzmarchef.en.alibaba.com

出口部地址：
广州市番禺区大龙街道眉山竹苑3号-5栋
Building 5.No.3 Meishan Street, Dalong Stree, Panyu District, Guangzhou City

工厂地址：
中山市南头镇升辉路20号
No 20 .Shenghui Rd, Nantou Town, Zhongshan Guangdong

Food Preparation Equipment

CATALOGUE

BAKERY EQUIPMENT

- 01 Food Mixer
- 02 Planetary Mixer
- 03 Fresh Milk Dispenser
- 03 Small Counter Top Dough Mixer
- 04 Spiral Mixer
- 05 Dough Divider
- 05 Dough Sheeter
- 06 Cake Smearing Machine
- 06 Shaping Machine
- 06 Pizza Machine
- 06 Bread Slicer
- 07 Dough Pressing Machine
- 07 Noodle Presses
- 07 Pasta Maker
- 08-11 Electric Pizza Oven
- 12 Hot Air Crawler Type Pizza Oven
- 13-16 Convection Oven
- 17-18 Chicken Rotisserie
- 19-22 Commercial Oven
- 23 Electric Proofer
- 23-24 Multifunction Oven

PACKIN MACHINE

- 25 Vacuum Machine
- 25 Vacuum Tumbler
- 26 Tray Sealer
- 26 Manual Sausage Clipper
- 26 Plastic Film Sealer
- 26 Cup Sealing Machine


FOOD PROCESSOR

- 30 Meat Slicer
- 31 Bowl Cutter
- 32 Meat Grinder
- 33 Meat Mixer
- 33 Electric Sausage Stuffer
- 34 Manual Sausage Stuffer
- 34 Manual Sausage Slicer
- 35 Bone Saw
- 36 Meat Tenderizer
- 36 Hamburger Press
- 37 Meatball Forming Machine
- 37 Meatball Beater
- 38 Vegetable Cutter
- 39 Poultry Plucker
- 39 Electric Scalding
- 40 Potato Peeler
- 41 Vegetable Slicer
- 41 French Fry Cutter
- 42 Potato Spiral Slicer
- 42 Onion Cutter
- 42 Tomato Cutter
- 42 Ice Crusher
- 43 Commercial Blender/
- 44 Orange Juicer
- 45 Juice Extractor
- 45 Sugar Cane Juicer
- 46 Manual Orange Press Machine
- 47 Immersion Blender





Food Mixer



| B20A |

Model	Voltage	Power(kW)	Mixing Flour Capacity(Kg)	Bowl Capacity(L)	Size(mm)
B-20A	220V/50Hz	1.5	5	20L	665*535*1000
B-30A	220V/50Hz	1.8	8	30L	680*540*1100
B-20B	220V/50Hz	1.5	5	20L	615*550*1140
B-30B	220V/50Hz	1.8	8	30L	666*560*1240

Planetary Mixer



| B10K |

Voltage: 220-240V/50-60Hz

Model	Power(kw)	Mixing Flour Capacity(kg)	Bowl Capacity(L)	Size(mm)
B10K	0.45	2	10	450*350*640
B20K	1.1	5	20	580*440*770
B30K	1.1	6	30	560*600*820
B40K	2.0	8	40	580*630*1105



| B20B |

Voltage: 220-240V/50-60Hz

Model	Power(kw)	Mixing Flour Capacity(kg)	Bowl Capacity(L)	Size(mm)
B10B	0.37	1	10	450*350*640
B20B	1.1	3	20	550*435*780
B30B	1.5	6	30	560*435*862
B40B	2	8	40	640*500*1040

Fresh Milk Dispenser



| B7LE |



| B7LB |



| B-5LA |



| B-5LS |



B-L:white paint



B-LS:stainless steel

Voltage: 220-240V/50-60Hz

Model		B7LE	B7LB	B-5LA	B-7LA
Power	kW	0.35	0.35	0.3	0.35
Bowl Capacity	L	7	7	5	7
Size	mm	412*235*430	412*235*430	370*220*410	410*250*415

Model		B-5L	B-7L	B-10L	B-5LS	B-7LS	B-10LS
Power	kW	0.50	0.50	0.50	0.50	0.50	0.50
Bowl Capacity	L	5	7	10	5	7	10
Size	mm	380*240*375	380*240*405	380*240*445	380*240*375	380*240*405	380*240*445

Small Counter Top Dough Mixer



| HS-3L |



| HS-5L |



| HS-10L |

Model	Voltage	Power(kW)	Mixing Flour Capacity	Bowl Capacity(L)	Size(mm)
HS-3L	220-240V/50-60Hz	0.55	1.5Kg/3L	7	470*260*440
HS-5L	220-240V/50-60Hz	0.55	2.5Kg/5L	10	528*278*496
HS-10L	220-240V/50-60Hz	1.10	5Kg/10L	15	630*340*600

Spiral Mixer



| HS20A |



| HS20B |

A: Single Speed D: Double Speed					
Model	Voltage	Power(kW)	Capacity(Kg)	Bowl Capacity(L)	Size(mm)
HS20A(-D)	110V/220V-240V/3~380V,50Hz/60Hz	1.5	8	20	730*390*900
HS30A(-D)	110V/220V-240V/3~380V,50Hz/60Hz	1.5	12	34	750*435*900
HS40A(-D)	220V-240V/3~380V,50Hz/60Hz	3	20	45	800*480*970
HS50A(-D)	220V-240V/3~380V,50Hz/60Hz	3	20	54	850*510*970
HS60A(-D)	220V-240V/3~380V,50Hz/60Hz	3	20	64	850*510*970
Model	Voltage	Power(kW)	Capacity(Kg)	Size(mm)	
HS10B(-D)	110~380V/50~60Hz	0.75	4	550*340*530	
HS20B(-D)	110~380V/50~60Hz	1.5	8	730*390*900	
HS30B(-D)	110~380V/50~60Hz	1.5	12	750*435*900	
HS40B(-D)	220~380V/50~60Hz	3	16	800*480*970	
HS50B(-D)	220~380V/50~60Hz	3	20	850*510*970	
HS60B(-D)	220~380V/50~60Hz	3	25	850*510*970	



| HSD10T |



| HS130A |



| HS130B |

HSD: Single Speed HSS: Double Speed					Voltage: 110~380V/50~60Hz				
Voltage: 220~240V/50Hz 380V/50Hz					Model	Power(kw)	Capacity(kg)	Bowl Capacity(L)	Size(mm)
					HSD10T / HSS10T	0.37/0.55	2	10	576*370*700
					HSD20T / HSS20T	0.9/1.1	8	20	695*395*630
					HSD30T / HSS30T	1.5/1.5	12	30	810*445*715
					HSD40T / HSS40T	2.2/1.5/2.2	15	40	875*485*765
					HSD50T / HSS50T	2.2/1.5/2.2	20	50	925*535*765
					Model	Power(kw)	Capacity(kg)	Bowl Capacity(L)	Size(mm)
					HS80A	3.2	33	80	880*560*1100
					HS100A/B	4.1	40	100	1080*650*1380
					HS130A/B	6.4	50	130	1160*730*1380
					HS160A/B	6.4	60	160	1160*730*1380
					HS200A/B	8.6	75	200	1330*840*1560
					HS260A	9	100	260	1330*840*1560

Dough Divider



DD-30BS/36BS



DD-30S/36S



DD-36SH

Voltage: 220-380V/50Hz, 110V/60Hz

Model		DD-30BS/36BS		DD-30S/36S		DD-36SH	
Power	kW	0.75		0.75		0.5	
Dough Weight	(g/pc)	30~100		30~100		30~150	
Output	/	30pcs of dough/time		30pcs of dough/time		36pcs/once	
Size	mm	550*720*1350		710*810*1600		420*450*1250	

Dough Sheeter



QSJ-400TL



QSJ-550L



QSJ-SM550

Voltage: 220-240V/50-60Hz

Model		QSJ-400TL	QSJ-550TL	QSJ-550L	QSJ-400BL	QSJ-550BL	QSJ-650BL	QSJ-SM550	QSJ-SM650
Power	kW	0.4	0.55	0.55	0.4	0.55	0.75	0.55	0.75
Size	mm	1990*840*590	2500*960*590	2700*960*1100	2000*820*1040	2700*960*1100	3100*1060*1100	2700*960*1100	3100*1060*1100

Cake Smearing Machine



CSM-1560

Model	Voltage	Power(kW)	N.W./ G.W.	Size(mm)
CSM-1560	220~240V/50Hz	0.3	25/35kg	500*350*550

Model	Voltage	Power(kW)	Dough Weight(g)	Size(mm)
TM-380L	220~240V/50Hz	0.75kw	50-600	1300*665*1050

Model	Voltage	Power(kW)	Dough Weight(g)	Size(mm)
TM-750L	220~240V/50Hz	0.75kw	50-1250	970*970*1600

Bread Slicer



BS-31B

Model	Voltage	Power(kw)	No. of Slices	Size(mm)
BS-25B	220-240V/50-60Hz	0.25	25	515*625*585
BS-31B	220-240V/50-60Hz	0.25	31	515*625*585
BS-39B	220-240V/50-60Hz	0.25	39	515*625*585
BS-53B	220-240V/50-60Hz	0.25	53	515*625*585

Model	Voltage	Power(kw)	Size(mm)
PM-30	220-240V/50-60Hz	0.37	340*505*700
PM-40	220-240V/50-60Hz	0.39	370*565*715
PM-30T	220-240V/50-60Hz	0.45	463*363*346
PM-40T	220-240V/50-60Hz	0.45	544*363*346

Shaping Machine



TM-380L



TM-750L

Pizza Machine



PM-30



PM-30T

Dough Pressing Machine



| DPM-500A |

Model	voltage	Power(kw)	Dough Weight	Size(mm)
DPM-350A	380V/50Hz	2.2	600Kg/h	1130*610*1002
DPM-500A	380V/50Hz	3	900Kg/h	1300*770*1130

Model	voltage	Power(kw)	Roller size(cm)	Size(mm)
NM-250	220V/50Hz	1.5	19	390*280*860
NM-300	220V/50Hz	2.2	24	440*280*860
NM-350	220V/50Hz	2.2	29	490*280*860
NM-Y110	220V/50Hz	2.2	25	590*650*1080
NM-Y130	220V/50Hz	2.2	30	640*670*1090

Noodle Presses



| NM-300 |



| NM-Y130 |

Pasta Maker



| NMT-160 |

Model	voltage	Power(kw)	Size(mm)
NMT-160	220-240V/50-60Hz	0.55	370*325*405
NMT-180	220-240V/50-60Hz	0.55	390*325*405
NMT-200	220-240V/50-60Hz	0.55	410*325*405
NMT-220	220-240V/50-60Hz	0.75	430*325*405
NMT-240	220-240V/50-60Hz	0.75	450*325*405



| NMT-160A |

Model	voltage	Power(kw)	Size(mm)
NMT-160A	220-240V/50-60Hz	0.55	328*341*400
NMT-180A	220-240V/50-60Hz	0.55	348*341*400
NMT-200A	220-240V/50-60Hz	0.55	368*341*400
NMT-220A	220-240V/50-60Hz	0.75	388*341*400
NMT-240A	220-240V/50-60Hz	0.75	408*341*400

Commercial Pizza Oven



EP-401



EP-402

型号/Model		EP-401	EP-402
电压/Voltage	V / Hz	220-380V/50~60Hz	400V/60Hz
功率/Power	kW	4.8	9.6
尺寸/Size	mm	1020*580*260+870	1020*580*600+870

CE



EP-1ST

CE



EP-2PT

CE



CPO-160

ETL



CPO-320

ETL



EP-16ST

CE RoHS UK CA ETL



EP-17ST

CE RoHS UK CA ETL

型号/Model		EP-1ST	EP-2ST	EP-2PT	CPO-160	CPO-320	EP-16ST	EP-17ST
电压/Voltage	V / Hz	220-240V/50~60Hz	220-240V/50~60Hz	220-240V/50~60Hz	120V/60HZ	120V/60HZ	220-240V/50HZ	220-240V/50HZ
功率/Power	kW	2	3	3	1.6	3.2	2.4	4.8
尺寸/Size	mm	560*570*280	560*570*440	560*570*440	584*548*279	585*570*530	630*510*305	630*510*535



E01-1



KPZ-60M



KPS-22



KPS-36A

型号/Model	E01-1	KPZ-60M	KPZ-120M	KPS-11/KPS-11A
电压/Voltage	V / Hz	380V/50~60Hz	220-240V/50~60Hz	380V/50~60Hz
功率/Power	kW	4.2	3.6	4.7
尺寸/Size	mm	870*600*345	635*687*456	838*787*456

型号/Model	KPS-12/KPS-12A	KPS-22/KPS-22A	KPS-24/KPS-24A	KPS-36/KPS-36A
电压/Voltage	V / Hz	220-240V/50~60Hz	220-240V/50~60Hz	220-240V/50~60Hz
功率/Power	kW	6.4	6.62	13.2
尺寸/Size	mm	1160*795*445	930*590*825	1160*795*1205



HP-10EV



HP-10ET



HP-13E



HP-19E



HP-33E



HP-33G

型号/Model	HP-10EV	HP-10ET	HP-13E	HP-19E	HP-33E	HP-13G	HP-19G	HP-33G
电压/Voltage	V / HZ	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
功率/Power	KW	6.7	6.7	12.3	17	27	0.3	0.4
尺寸/Size	mm	1000*826*467	1032*826*467	1173*1079*1061	1533*1124*1125	2048*1410*1186	1270*920*450	1580*1175*450



CO-2F



EC01F



EC01-E



CKF-60

电压/Voltage: 220-240V/50Hz			
型号/Model		CO-2F	CO-8F
功率/Power	KW	2.67	3.1 or 5.1
尺寸/Size	mm	460*570*460	835*770*575
型号/Model		EC01F	EC01-E
功率/Power	KW	4.5	6
尺寸/Size	mm	590*650*560	880*800*600
型号/Model		CKF-60	CKF-120
功率/Power	KW	2.5	4
尺寸/Size	mm	636*708*616	840*755*659
型号/Model		CK02C	CK10C
功率/Power	KW	4.5	6
尺寸/Size	mm	675*640*500	755*640*920



CK10C



型号/Model		EP-E9
电压/Voltage	V / Hz	220-240V/50hz
功率/Power	kW	4
尺寸/Size	mm	840*725*375
型号/Model		CO-80M
电压/Voltage	V / Hz	220-240V/50Hz
功率/Power	kW	2.6
尺寸/Size	mm	519*635*545
型号/Model		EP-F110S
电压/Voltage	V / Hz	220-240V/50~60Hz
功率/Power	kW	2
尺寸/Size	mm	538*563*755



EP-E9



CO-80M



EP-F110S



CO-5DH



CO-5D



CO-5DJ

型号/Model	CO-5DH	CO-5D	CO-5Q	CO-5QH
电压/Voltage	V / Hz	380V/50~60Hz	380V/50~60Hz	220-240V/50~60Hz
功率/Power	kW	7.5	7.5	0.55
尺寸/Size	mm	905*1280*955	905*1280*955	905*1450*955



CO-5DHJ



CO-8D



CO-8DH

Electric Convection Oven

型号/Model	CO-8D	CO-10D	CO-8DH	CO-10DH
电压/Voltage	V / Hz	380V/50~60Hz	380V/50~60Hz	220-240V/50~60Hz
功率/Power	kW	15	15	15
尺寸/Size	mm	905*1280*1280	905*1280*1520	905*1280*1520

Gas Convection Oven

型号/Model	CO-8Q	CO-10Q	CO-8QH	CO-10QH
电压/Voltage	V / Hz	220-240V/50~60Hz	220-240V/50~60Hz	220-240V/50~60Hz
功率/Power	kW	1.1	1.1	1.1
尺寸/Size	mm	905*1450*1280	905*1450*1520	905*1450*1520



MF-COE/208-2



MF-COE-280

型号/Model	MF-COE/208-2	MF-COE-280
电压/Voltage	V / Hz	110V/60Hz
功率/Power	kW	10
BTU/H	/	54000*2
尺寸/Size	mm	966*1012*1738

CE



⚡ ECR-266



⚡ ECR-206



⚡ ECR-201



🔥 GCR-366



🔥 GCR-306

型号/Model	ECR-266	ECR-268	ECR-206	ECR-201
电压/Voltage	V / Hz	220V/50~60Hz	220V/50~60Hz	3N-380V/50~60Hz
功率/Power	kW	4.5	6	7.3
尺寸/Size	mm	810*630*610	1010*630*770	675*550*1580

型号/Model	GCR-366	GCR-368A	GCR-306
Used Gas	/	LPG/Natural Gas	220V/50~60Hz
功率/Power	BTU/Hr	27880	9280003
尺寸/Size	mm	810*630*610	1010*630*770



⚡ ER-4E



🔥 GR-6P



🔥 GR-8ME

电压/Voltage: 380V/50Hz		Used Gas: LPG/Natural Gas		
型号/Model	ER-4E	ER-6E	GR-4B	GR-6B
功率/Power	kW	8	12	/
尺寸/Size	mm	1170*480*1130	1170*480*1490	1170*480*1490
Used Gas: LPG/Natural Gas				
型号/Model	GR-3P	GR-4P	GR-5P	GR-6P
功率/Power	BTU/Hr	61200	81600	102000
尺寸/Size	mm	1200*550*730	1200*550*905	1200*550*1080
Used Gas: LPG/Natural Gas			电压/Voltage: 220V/50Hz	
型号/Model	GR-7P	GR-8P	GR-6ME	GR-8ME
功率/Power	BTU/Hr	142800	163200	0.245kW
尺寸/Size	mm	1200*550*1435	1200*550*1620	1245*562*1962



Commercial Oven



商用微波炉 | Commercial Microwave Oven

HOT



MO025F4T-S0SE00



MO034NS1-S00E00



MOB34GTQ-S00E

型号/Model		MO025F4T-S0SE00	MO034NS1-S00E00	MOB34GTQ-S00E
电压/Voltage	V / Hz	230V/50Hz	230V/50Hz	230V/50Hz
功率/Power	kW	1.5	1.5	3.2
尺寸/Size	mm	511*432*311	553*488*343	574.2*528.4*367.5



HS CO1-16A



HS CO2-16A



HS CO-30A



CVO-1



CVO-2

型号/Model	CVO-1
电压/Voltage	V / Hz
功率/Power	kW
尺寸/Size	mm

型号/Model	CVO-2
电压/Voltage	V / Hz
功率/Power	kW
尺寸/Size	mm



EO-102QE



EO-204QE



EO-306QE



EO-102D



EO-204D



EO-306D

型号/Model		GO-102QE	GO-204QE	GO-206QE	GO-306QE	GO-309QE	EO-101D	EO-102D
电压/Voltage	V / Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	380V/50~60Hz	380V/50~60Hz
功率/Power	kW	0.1	0.2	0.2	0.3	0.3	4.4	6.6
容量/Capacity	L	1 layer 2 tray	2 layer 4 tray	2 layer 6 tray	3 layer 6 tray	3 layer 9 tray	1 layer 1 tray	1 layer 2 tray
尺寸/Size	mm	1350*920*680	1340*920*1278	1700*930*1295	1340*920*1750	1760*920*1750	920*640*410	1220*850*580
型号/Model		EO-103D	EO-202D	EO-204D	EO-206D	EO-303D	EO-306D	EO-309D
电压/Voltage	V / Hz	380V/50~60Hz	380V/50~60Hz	380V/50~60Hz	380V/50~60Hz	380V/50~60Hz	380V/50~60Hz	380V/50~60Hz
功率/Power	kW	8	8.8	13.2	16	13.2	19.8	24
容量/Capacity	L	1 layer 3 tray	2 layer 2 tray	2 layer 4 tray	2 layer 6 tray	3 layer 3 tray	3 layer 6 tray	3 layer 9 tray
尺寸/Size	mm	1640*800*590	920*640*800	1220*850*1230	1640*850*1230	920*640*800	1220*850*1645	1640*850*1645



GO-102QS



GO-204QS



GO-306QS

电压/Voltage: 220-240V/50-60Hz		Gas Type: LPG/Natural Gas							
型号/Model		GO-103QS	GO-202QS	GO-204QS	GO-206QS	GO-303Q	GO-306QS	GO-309QS	GO-102QS
容量/Capacity	L	1 layer 3 tray	2 layer 2 tray	2 layer 4 tray	2 layer 6 tray	3 layer 3 tray	3 layer 6 tray	3 layer 9 tray	1 layer 2 tray
尺寸/Size	mm	1810*970*810	1050*810*1200	1340*920*1330	1760*890*1330	1340*920*670	1340*920*1750	1760*920*1750	1350*920*680

醒发箱 | Electric Proofer



FH40



FH120



EP-13A



EP-26A



EP-18LC

电压/Voltage: 220-240V/50~60Hz						
型号/Model		FH40	FH60	FH120	EP-13A	EP-16A
功率/Power	kW	0.3	0.5	0.5	2.6	2.6
No.of Trays	/	3	8	8	13	16
尺寸/Size	mm	490*490*506	636*694*940	838*793*904	490*690*1660	490*690*1800
型号/Model		EP-26A	EP-32A	EP-18LC	EP-36LC	EP-18LD
功率/Power	kW	2.8	2.8	1.6	1.8	1.6
No.of Trays	/	26	32	18	36	18
尺寸/Size	mm	1000*690*1660	1000*690*1880	590*1020*1800	780*1220*2100	590*1020*1800
						780*1220*2100

多功能烤箱 | Multifunction Oven



EOA-81Y



EOA-10-MP



EOA-10-CMP



EOA-10-AC

型号/Model		EOA-81Y	EOA-10-MP	EOA-10-CMP	EOA-10-AC
电压/Voltage	V / Hz	3N-380V/50Hz	3N-380V/50Hz	3N-380V/50Hz	3N-380V/50Hz
功率/Power	kW	9	18	18	18
尺寸/Size	mm	847*771*1060	850*770*1050	850*770*1050	850*770*1050

多功能烤箱 | Multifunction Oven



EOA-61-CMP



EOA-61-AC



EOA-61-MP



EOA-20-CMP



EOA-20-AC



EOA-41-MX



EOA-61-MX



EOA-51F



EOA-81F

型号/Model		EOA-61-CMP	EOA-61-AC	EOA-61-MP
电压/Voltage	V / Hz	3N~380V/50Hz	3N~380V/50Hz	3N~380V/50Hz
功率/Power	kW	19	19	18
尺寸/Size	mm	850*770*785	850*770*780	850*770*780
型号/Model		EOA-41-MX	EOA-61-MX	EOA-51F
电压/Voltage	V / Hz	3N~380V/50Hz	3N~380V/50Hz	3N~380V/50Hz
功率/Power	kW	6	6	9
尺寸/Size	mm	687*681*642	687*681*740	817*771*782
				817*771*1060



Vaccum& Packaging Machine

Vacuum Machine



DZ-260T



DZ-400F



DZ-400S

电压/Voltage: 220-240V/50~60Hz

型号/Model	DZ-260T	DZ-400T	DZ-400F	DZ-400FD	DZ-500F
功率/Power	kW	0.48	0.9	1.4	1.5
尺寸/Size	mm	510*350*390	550*490*550	550*490*970	652*578*982

电压/Voltage: 220-240V/50~60Hz Pumping Rate: 20m³/h

型号/Model		DZ-400S	DZ-400S-F	DZ-400DS	DZ-400DS-F	DZ-500S
功率/Power	kW	1.6	1.6	1.3	1.3	1.6
Seal bar	/	410mm*2pcs	410mm*2pcs	410mm*1pcs	410mm*1pcs	510mm*2pcs
尺寸/Size	mm	506*540*512	506*540*970	506*540*512	506*540*970	590*540*512
型号/Model		DZ-500S-F	DZ-600S	DZ-600S-F		
功率/Power	kW	1.6	2	2		
Seal bar	/	510mm*2pcs	510mm*2pcs	510mm*2pcs		
尺寸/Size	mm	590*540*970	690*620*512	690*620*970		



DZ-400S-F

Vacuum Tumbler



VT-2D



VT-60

电压/Voltage: 220-240V/50~60Hz

型号/Model		VT-2D	VT-45	VT-60	VT-80	VT-150
功率/Power	W	30	240	240	900	900
容量/Capacity	L	20	40	60	100	150
尺寸/Size	mm	698*310*485	856*430*906	886*492*979	1083*542*1076	1153*612*1157

Tray Sealer



IWM-550

TDQ-1

TDQ-2

Model	Power(kW)	Voltage	Width(mm)	size(mm)
IWM-450	0.33	220V/50Hz	450	700*540*660
IWM-550	4	220V/50Hz	550	875*650*675

Model	Power(kW)	Voltage	Packing speed(min)	size(mm)
TDQ-1	1	220V/50Hz	7~8	630*256*260
TDQ-2	0.6	220V/50Hz	7~8	630*256*260
TDQ-3	1	220V/50Hz	7~8	660*330*290
TDQ-4	0.8	220V/50Hz	7~8	650*296*260

Manual Sausage Clipper



D-1



Model	Clip	Nail length(mm)	Size(mm)
D-1	502/506/503/508	11/11.5/13/14	400*180*610

Plastic Film Sealer



MF-200P



I : Iron P : Plastic A : Aluminum				
Model	Power(kw)	Max.sealing lenth(mm)	Heat time(s)	size(mm)
MF-200I	0.3	200	0.2-1.5	530*360*380
MF-200A	0.3	200	0.2-1.5	80*320*150
MF-200P	0.3	200	0.2-1.5	520*350*380
MF-300I	0.3	300	0.2-1.5	500*110*200
MF-300A	0.4	300	0.2-1.5	85*450*180
MF-300P	0.3	300	0.2-1.5	500*110*200
MF-400I	0.3	400	0.2-1.5	590*110*200
MF-400A	0.6	400	0.2-1.5	540*90*180
MF-400P	0.3	400	0.2-1.5	540*90*180

Cup Sealing Machine



CSM-S2



CSM-D6



CSM-D1



CSM-B9



CSM-D8



CSM-H3



CSM-Q7



CSM-A9



CSM-Q9



CSM-D9

Model	Voltage	Power(kW)	Capacity(cup/h)	Size(mm)
CSM-S2	220-240V/50-60Hz	0.3	300-400	205*305*380
CSM-D6	220-240V/50-60Hz	0.3	300-400	206*350*360
CSM-D1	220-240V/50-60Hz	0.3	300-400	205*265*460
CSM-B9	220-240V/50-60Hz	0.315	300-400	270*260*480
CSM-D8	220-240V/50-60Hz	0.3	300-400	205*265*460

Model	Voltage	Power(kW)	Capacity(cup/h)	Size(mm)
CSM-H3	220-240V/50-60Hz	0.36	300-500	250*340*550
CSM-Q7	220-240V/50-60Hz	0.36	300-400	282*370*540
CSM-A9	220-240V/50-60Hz	0.34	300-400	282*370*540
CSM-Q9	220-240V/50-60Hz	0.36	300-400	282*370*540
CSM-D9	220-240V/50-60Hz	0.3	300-400	205*265*570



Commercial Food Processor

Meat Slicer



MS-300



MS-300B

	MS-A : Painted base		MS-B : Polished and anodized base	
Model	MSD-195	MS-220	MS-250	MS-300
Power(kW)	0.20	0.125	0.15	0.25
Slicing Thickness(mm)	0~10	0~10	0~10	0~15
Blade Dia(mm)	195	220	250	300
Size(mm)	384*232*280	575*465*415	575*465*415	615*525*510
Model	MS-220B	MS-250B	MS-300B	
Power(kW)	0.21	0.24	0.27	
Slicing Thickness(mm)	0~13mm	0~13mm	0~17mm	
Blade Dia(mm)	220	250	300	
Size(mm)	410*400*350	470*420*390	590*525*440	



ZB-10L



ZB-350



VC-650L

Model		ZB-6L	ZB-10L	ZB-350	VC-650L
Voltage	V / Hz	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz	230V/50HZ
Power	kW	0.4	0.75	0.37	1.8
Capacity	L	6	10	5	25
Size	mm	680*441*385	760*515*452	500*420*530	860*670*1050



TK-22



TK-F22



TC-22

Voltage: 220-240V/50-60Hz

Model	TK-22	TK-32	TK-12A	TK-22A	TK-F8	TK-F22	TK-F32	TC-12	TC-22
Power(kW)	0.85	1.5	0.8	1.1	0.4	0.85	1.5	0.55	0.9
Size(mm)	440*270*385	555*350*560	200*370*420	230*470*445	470*220*355	585*270*390	630*270*440	400*220*450	430*230*510



MG-AL12



MG-22N



MG-JR-12A

Voltage: 220-240V/50-60Hz

Model	MG-AL8	MG-AL12	MG-AL22	MG-12N	MG-22N	MG-32N	MG-JR-12A	MG-JR-22A	MG-JR-32A
Power(kW)	0.45	0.65	0.75	1.1	1.1	1.1	1.5	1.8	2.2
Size(mm)	435*200*385	410*200*385	440*210*370	515*265*315	515*265*315	515*265*315	560*300*360	560*300*360	560*300*360



MG-22



MG-C42A



MC-130L

Voltage: 220-240V/50-60Hz

Model	MG-12	MG-22	MG-C42A	MG-C52A	MC-90T	MC-130L
Power(kW)	0.55	0.75/1.1	4	5.5	0.8	0.85
Size(mm)	429*382*405	479*420*416	1150*620*1065	1302*684*1198	390*500*730	545*330*660

Electric / Manual Meat Mixer



FME02

Voltage: 220-240V/50-60Hz			
Model	Power(kW)	Capacity(kg)	Size(mm)
FME02	0.3	13-16	240*220*310
FME03	0.55	20-25	390*220*410
FME04	0.55	26-35	390*220*410
FME05	0.9	35-43	300*240*360
FME06	0.9	39-55	300*240*360



FMM01

Model	Capacity(kg)	Size(mm)
FMM01	11	320*230*300
FMM02	20	420*250*360
FMM03	30	440*310*400
FMM04	40	480*350*450
FMM05	50	550*350*460
FMM06	60	550*380*475

Electric Sausage Stuffer



ESF-10L



ESF-10LK



ESF-150



PQ-KN69

Model	ESF-10L	ESF-15L	ESF-20L	ESF-25L	ESF-30L
Voltage	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz
Power(kW)	0.12	0.12	0.25	0.25	0.25
Capacity(L)	10	15	20	25	30
Size(mm)	415*315*655	415*315*780	870*470*410	940*470*410	1050*470*410

Model	ESF-10LK	ESF-12LK	ESF-15LK	ESF-150	ESF-260	ESF-260	PQ-KN69
Voltage	110V/60Hz	110V/60Hz	110V/60Hz	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz
Power(kW)	0.09	0.09	0.09	0.75	1.10	1.50	1.50
Capacity(L)	10	12	15	15	26	35	35
Size(mm)	370*310*630	370*310*680	370*310*760	600*400*1240	640*480*1240	735*560*1250	560*578*1330

Manual Sausage Stuffer



SF-3L

Model	SF-3L	SF-5L	SF-7L	SF-10L	SF-12L	SF-15L	SF-3L	SF-5L	SF-7L
Capacity(L)	3	5	7	10	12	15	3	5	7
Size(mm)	320*280*530	315*275*620	320*280*800	415*315*650	370*300*720	415*315*770	430*200*210	560*200*210	690*200*210



SFH-7L



Manual Sausage Slicer



SS-8

Model	Thickness	Size(mm)
SS-8	8mm	337*162*221
SS-18	18mm	337*162*221



ESS-45

Model	Voltage	Power(kW)	Size(mm)
ESS-45	220-240V/50-60Hz	0.135	244*188*327



BS-1650



BS-1650N



Voltage: 220-240V/50-60Hz

Model	BS-1650	BS-2040
Power(kW)	0.75	1.1
Blade Lenght(mm)	1650	2040
Size(mm)	550*920*500	500*470*1200

Voltage: 220-240V/50-60Hz

Model	BS-1650N	BS-1200
Power(kV)	1.1	0.65
Blade Lenght(mm)	1650	1200
Size(mm)	500*550*950	400*480*720

Voltage: 220-240V/50-60Hz

Model	BS-2020
Power(kV)	1.5
Blade Lenght(mm)	2020
Size(mm)	587*670*1584

BS-2020



Meat Tenderizer



EMT-1

Model	Voltage	Power(kW)	Size(mm)
EMT-1	220-240V/50-60Hz	0.45	430*170*420



MT-1

Model	Voltage	Power(kW)	Size(mm)
MT-1	/	/	390*320*440

Hamburger Press



HB-100

Model	Bowl Diameter(mm)	Size(mm)
HB-100	100	290*210*275
HB-130	130	290*210*275
HB-150	150	290*210*275



HB-130S

Model	Bowl Diameter(mm)	Size(mm)
HB-100S	100	265*200*270
HB-130S	130	280*200*270
HB-150S	150	295*200*270

Meatball Forming Machine



MFM-200

Voltage: 220-240V/50-60Hz

Model	Power(kW)	Capacity(pcs/min)	Size(mm)
MFM-200	1.1	300pcs/min	420*360*820
MFM-280	1.1	230pcs/min	640*380*1230
MFM-280S	1.1	230pcs/min	670*380*1240



MFM-280

Meatball Beater



MB-18R

Voltage: 220V/50Hz

Model	Power(kW)	Output	Weight(kg)	Size(mm)
MB-18R	1.5KW	2KG/1	23	320*320*820
MB-20R	1.5KW	2.5KG/1	25	320*350*820
MB-22R	2.2KW	3KG/1	30	370*390*830
MB-24R	3KW	3.5KG/1	35	370*420*830



EMB-18R

Voltage: 220V/50Hz

Model	Power(kW)	Output	Weight(kg)	Size(mm)
EMB-18R	1.5KW	2KG/1	23KG	320*320*820
EMB-20R	1.5KW	2.5KG/1	25KG	320*350*820
EMB-22R	2.2KW	3KG/1	30KG	370*390*830
EMB-24R	3KW	3.5KG/1	35KG	370*420*830
EMB-30R	3KW	8KG/1	50KG	460*410*860

Vegetable Cutter



VC-300



VC-400D



HR-6



VC-5

Model		VC-300	VC-400D	HR-6	HR-9	HR-12
Voltage	/	220-240V/50-60Hz	220V/50Hz or 110V/60Hz	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz
Power	kW	0.55	0.75	1.8	1.8	2
Capacity	L	/	/	6	9	12
Size	mm	614*246*506	655*325*535	523*316.5*394	523*316.5*444	523*316.5*489

Model		VC-5	VC-7	VC-10	VC-15
Voltage	/	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz
Power	kW	0.55	0.75	1.10	1.40
Capacity	L	5	7	10	15
Size	mm	360*400*530	380*420*540	400*440*570	420*460*620

Poultry Plucker



CHZ-N45-S

Voltage: 220~240V/50~60Hz; 110V/60Hz

Model	CHZ-N45-S	CHZ-N50-S	CHZ-N55-S	CHZ-N60-S	CHZ-40	CHZ-45	CHZ-50	CHZ-55	CHZ-60
Power(kW)	0.55+1.8	1.5+1.8	1.5+1.8	1.5+1.8	0.18	0.55	1.5	1.5	1.5
NW(kg)	66.3	80.1	85.9	93.4	23.68	38	50	53	58
Size(mm)	920*502*842	1020*554*955	1122*602*955	1221*652*955	446*446*680	510*510*800	570*570*890	613*613*890	670*670*890

Voltage: 220V/50Hz

Model	CHZ-65	CHZ-N30	CHZ-N45	CHZ-N50	CHZ-N55	CHZ-N60	CHZ-N65	CHZ-N50-1	CHZ-N80
Power(kW)	1.5	0.15	0.55	1.5	1.5	1.5	1.5	1.5	2.2
NW(kg)	64.1	18	40	50	59	57.5	64.1	53.2	90
Size(mm)	702*703*945	347*347*668	510*510*890	570*570*1100	610*610*1100	670*670*1100	702*703*945	570*570*1100	862*862*1150



CHZ-40

Voltage: 220V/50Hz



CHZ-N45

Potato Peeler



PP-10C

Voltage: 220-240V/50-60Hz

Model	PP-10C	PP-15C	PP-30C	PP-10	PP-15	PP-20
Power(kW)	0.55	0.75	1.5	0.55	0.75	0.95
Capacity(kg)	10	15	30	10	20.6	27
Size(mm)	460*450*785	520*500*850	590*580*1020	680*410*960	415*586*1090	465*615*1120



PP-10



PP-20

Vegetable Cutter



VC-861

Model	Voltage	Power(kW)	Size(mm)
VC-861	220-240V/50-60Hz	0.33	410*315*360



VC-860

Model	Voltage	Power(kW)	Size(mm)
VC-860	220-240V/50-60Hz	0.25	320*240*380

Electric Scalding



ES-70L

Model	Voltage	Power(kW)	NW(kg)	Capacity(L)	Size(mm)
ES-70L	220-240V/50-60Hz	1.8	18.92	55	350*350*640
ES-120L	220-240V/50-60Hz	3 / 2	30	100	600*500*640



ES-120L

Vegetable Slicer



PS-04

PS-14

PS-12

PS-13

Operated by hand				
Model	PS-04	PS-14	PS-12	PS-13
N.W(Kg)	7.3	2.25	6.7	7.6
G.W(Kg)	7.8	2.8	7.3	8.3
Size(mm)	215*175*500	210*210*475	430*320*520	520*260*490

French Fry Cutter




PC004

PC005

Model	Power(kW)	NW/GW(kg)	Size(mm)
PC004	Operated by hand	7/7.25	280*170*215
Model	Power(kW)	NW/GW(kg)	Size(mm)
PC005	Operated by hand	6.5/7	290*200*210

Potato Spiral Slicer



H001

H002

Model	Power(kW)	NW/GW(kg)	Size(mm)
H001	By hand	1/1.2	250*120*140

Model	Power(kW)	NW/GW(kg)	Size(mm)
H002	0.02	6.3/6.67	460*160*180

Onion Cutter



TS-4

TS-4 Carton:450*210*210mm
TS-5.5 Carton:450*210*210mm

Tomato Cutter



DRB-SDYC

Model	Number of petals	Processing capacity	Onion diameter	Size(mm)
DRB-SDYC	24 petals	300-700pcs/hour	within 155mm	280*170*215

Ice Crusher



MIC-118

MIC-128

Voltage: 220-240V/50-60Hz			
Model	Power(kW)	Output Capacity(kgs/h)	Size(mm)
MIC-108	0.2	200	400*300*380
MIC-108P	0.18	120	400*300*380
MIC-118	0.18	200	260*400*420

Voltage: 220-240V/50-60Hz			
Model	Power(kW)	Output Capacity(kgs/h)	Size(mm)
MIC-128	0.18	200	480*420*580
MIC-128L	0.2	200	400*490*620

Commercial Blender



BL-818S



BL-16



BL-9001



BL-9002S



BL-9003S



BL-9005S



BL-9006



BL-818B



BL-818C



BL-818D

Voltage: 220-240V/50-60Hz

Model	BL-818S	BL-16	BL-9001	BL-9002S	BL-9003S	BL-9005S	BL-9006	BL-818B	BL-818C	BL-818D
Power(kW)	1.3	1.8	1.8	1.8	1.8	1.3	1.3	1.3	1.3	1.3
Jug Capacity(L)	1.5	1	1	1.5 / 2	2	1	1.5L	1	1	1
Size(mm)	250*220*420	220*220*490	220*220*490	220*220*490	220*220*490	250*220*420	250*220*420	250*220*420	250*220*420	250*220*420

Orange Juicer



MF-2000E-2

Model	Voltage	Power(kW)	Size(mm)
MF-2000E-1	220-240V /50-60Hz	0.12	400*330*790
MF-2000E-2	220-240V /50-60Hz	0.12	400*330*790



CJ-50MH



CJ-50MC



CJ-50MS

Model	Voltage	Power(kW)	N.W./G.W.(kg)	Size(mm)
CJ-50MH	220V-240V~ 50/60Hz,110V-120V~ 60Hz	0.25	8.65/9.55	375*245*460
CJ-50MC	220V-240V~ 50/60Hz,110V-120V~ 60Hz	0.25	8.15/8.95	200*425*228
CJ-50MS	220V-240V~ 50/60Hz,110V-120V~ 60Hz	0.25	8.0/8.7	200*425*228

Juice Extractor



MF-A2000



MF-B2000

Voltage: 220-240V/50-60Hz

Model	MF-A2000	MF-A3000	MF-B2000	MF-B3000
Power(kW)	0.55	0.37	0.55	0.55
Capacity(kg/H)	100~120Kg/h	80~100Kg/h	100~120Kg/h	80~100Kg/h
Size(mm)	430*350*450	340*270*360	430*350*450	340*270*360

Sugar Cane Juicer



MF-L80



MF-T80



MF-L80N



MF-T80N

Voltage: 220-240V/50-60Hz

Model	MF-L80	MF-T80	MF-L80N	MF-T80N
Power(kW)	1.1	0.35	1.1	0.35
Capacity(kg/H)	300	200	200	300
Size(mm)	480*380*780	480*380*580	480*380*780	480*380*580

Manual Orange Press Machine



HJ-2



yellow



HJ-P



HJ-U



red



HJ-WS



grey



black



HJ-G



HJ-A1



HJ-D

Model	HJ-2	HJ-P	HJ-U	HJ-WS	HJ-G	HJ-A1	HJ-D
Weight	10.8	13.2	13.5/15	10.6	9.5	13.5	15
QTY/CTN	1pcs/ctn	1pcs/ctn	1pcs/ctn	1pcs/ctn	1pcs/ctn	1pcs/ctn	1pcs/ctn
Size(mm)	185*150*375	195*165*380	374*209*485	230*185*410	265*205*500	85*150*410	230*185*515

Immersion Blender



Model	Voltage	Power(kW)
MIB350CF	220-240V /50-60Hz	0.35
MIB350CV	220-240V /50-60Hz	0.35
MIB500LF	220-240V /50-60Hz	0.5
MIB750LF	220-240V /50-60Hz	0.75
MIB750LV	220-240V /50-60Hz	0.75



| MIB350CF |



| MIB750LF |



| MHM-750SW |



| MHM-550S |

Model	Voltage	Power(kW)	Size(mm)
MHM-550S	220-240V/110V	0.35	306*87
MHM-550SW	220-240V/110V	0.35	306*87
MHM-350S	220-240V/110V	0.35	306*87
MHM-350SW	220-240V/110V	0.35	306*87
MHM-750S	220-240V/110V	0.75	331*113
MHM-750SW	220-240V/110V	0.75	331*113